



BLSH

Chongqing BLSH Trading Co.,Ltd.
+86 18302333106 :Phone
Manager@blshdiesel.com :Email
www.blshdiesel.com :Website
No. 8, Xiyuan North Street, Shapingba District, Chongqing



Professional
service




Global
Network




Quality
Assurance



Chongqing BLSH Trading Co.,Ltd.
+86 18302333106 :Phone
Manager@blshdiesel.com :Email
www.blshdiesel.com :Website
No. 8, Xiyuan North Street, Shapingba District, Chongqing





产品分类 (Product Classification)


道依茨发动机系列 (Deutz Engine Series) :

BF4/6M2012 、

BF4/6M1013 、

TCD2012 4/6 2V 、

TCD2013 4/6 2V 等



解放发动机系列 : (Liberation Engine Series) :C
A498 、 4DD 、 4/6DH
、 4/6DK



沃尔沃发动机系列
(Volvo Engine Series) :

D4D/E/F 、 D5D/E 、

D6D/E 、 D7E 、 D8K 等

PENTA 系列:

TAD520/720/750 等



发动机参数表											
发动机型号 Engine type	498-T3	498Z-T3	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
排量（L）Capacity	3.2		4	4.8	6	7.2	7.8	4	4.8	6	7.2
技术途径 Technology path	电控单体泵、CEGR							共轨、IEGR			
长X宽X高（mm）LxBxH	845x607x796		813x671x959	881x624x1010	1039x595x907	1142x750x997	1191x735x962	783x629x812	874x631x941	1041x667x897	1138x657x991
整机重量（kg）Weight	265		460	500	560	660	720	400	500	510	610
排放 Emission level	非道路国 III/EU StageIIIA										
油耗（g/kWh）Specific consumption	204		198	200	198	200	195	198	200	198	200
噪音（声压级）dB(A)	98		97	98	97	98	96	96	97	96	97
额定功率 / 转速 Power(k/w)/speed(r/min)	36-45/ 2500	38-75/ 2400	60-103/ 2400	80- 129/2200	97- 155/2000 -2500	128-200/ 2000-2300	152-206/ 2000- 2200	66- 103/2400	75- 129/2100	100- 155/2300	130- 200/2300
最大扭矩 (N.m) 转速 （r/min)Peak torque at engine speed	196/160 0-1800	310/ 1600	410- 590/1500	577- 700/1400	590- 745/1500	770-1010/ 1600	1100/ 1600	350- 520/1600	565- 670/1600	810- 850/1600	1050/1500

挖掘机（Excavator）适配参数表

发动机型号 Engine type	498-T3	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
工作质量（T） Operating Weight	4-6	13-15	16-18	20-23	24-30	25-36	13-15	16-18	20-23	24-30
额定功率 / 转速 Power(k/w)/speed(r/min)	37-60/ 2200	60- 75/2100- 2300	88- 105/2100 -2300	110- 127/2100 -2300	134-150/ 2000-2300	149-190/ 2000- 2300	60- 75/2100- 2300	88- 105/2100- 2300	110- 127/2100- 2300	134-150/ 2000-2300
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	210-300/ 1400	310- 420/1500	450- 560/1400	600- 720/1500	710- 830/1400	1440/145 0	310- 420/1500	450- 560/1400	600- 720/1500	710- 830/1400
标准铲斗斗容（ m ³ ） Bucket Capacity	0.2-0.36	0.5-0.6	0.7-0.8	0.8-1.2	1.2-1.4	1.4-1.8	0.5-0.6	0.7-0.8	0.8-1.2	1.2-1.4

装载机 (Wheel Loader) 适配参数表								
发动机型号 Engine type	498-T3	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L6-T3	TCD2013L6-T3
额定载重（ T ） Rated Load	1.2-1.5	1.6-1.8	1.5-2.0	3	5	5	3	5
额定功率 / 转速 Power(k/w)/speed(r/min)	37/ 2200-2400	45-55/2200-2400	50-85/2200-2400	90-125/2200	150-170/ 2200	150-190/ 2200	90-125/2200	162/ 2200
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	235/ 1400	350/1400-1500	450/1400	330-550/1400-1500	800-950/1400	900-1440/1400	450-550/1400-1500	860/1400

地下装载机 (Undergroundloader) 适配参数表								
发动机型号 Engine type	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定载重（ T ） Rated Load	5	6-7	8	10	5	6-7	8	10
额定功率 / 转速 Power(k/w)/speed(r/min)	80-104/2500	70-117/2200-2300	140/2300	150-170/ 2200	80-104/2500	70-117/2200-2300	140/2300	150-170/ 2200
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	493/1500	422-604/1500	600/1500	940/1400	493/1500	422-604/1500	600/1500	940/1400

混凝土泵 (Concrete Pump) 适配参数表

发动机型号 Engine type	BF4M1013-T3	BF6M1013-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2013L6-T3
额定功率 / 转速 Power(k/w)/speed(r/min)	88-129/2000-2300	128-200/ 2000-2300	60-103/2000-2500	88-129/2000-2300	128-212/2000-2300
混凝土理论输送压力（ Mpa ） Theory of concrete delivery pressure	7-13	10-18	8-11	7-13	10-18
混凝土理论输送量（ m ³ /h)Concrete theoretical throughput	40-90	50-130(100 以上双发动机）	40-60	40-90	50-130 （ 100 以上双发动机）

压路机 (Road Roller) 适配参数表

发动机型号 Engine type	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定功率 / 转速 Power(k/w)/speed(r/min)	60/2000-103/2500	88/2000-129/2300	144/2000-155/2500	128/2000-200/2300	152-206/2000-2200	60/2000-103/2500	88/2000-129/2300	144/2000-155/2500	128/2000-200/2300
工作质量（ T ） Operating Weight	8-11	8-12	14-22	24-30	30-33	8-11	8-12	14-22	24-30

摊铺机 (PAVER) 适配参数表

发动机型号 Engine type	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定功率 / 转速 Power(k/w)/speed(r/min)	60/2000-103/2100	88/2000-129/2300	144/2000-155/2100	128/2000-200/2100	152-206/2000-2200	60/2000-103/2100	88/2000-129/2300	144/2000-155/2100	128/2000-200/2100
摊铺宽度（ m ） Paving Width	4.5-6	6-8	8-9	9.5-12	13	4.5-6	6-8	8-9	9.5-12

铣刨机 (Milling Machine) 适配参数表						
发动机型号 Engine type	BF4M2012-T3	BF6M2012-T3	BF6M1013-T3	TCD2012L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定功率 / 转速 Power(k/w)/speed(r/min)	60-100/2200-2400	147/2300	200/ 2200	60-100/2200-2400	147/2300	200/ 2200
铣刨机宽度（ mm）	500-800	1000	1000-1300	500-800	1000	1000-1300
铣刨深度（ mm ）	150-260	300	320	150-260	300	320

平地机 (Motor Grader) 适配参数表						
发动机型号 Engine type	BF4M2012-T3	BF6M2012-T3	BF6M1013-T3	TCD2012L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定功率 / 转速 Power(k/w)/speed(r/min)	75/2400	100-140/2200	125-145/2200-2300	75/2400	100-140/2200	125-145/2200-2300
整机质量（ T ） Weight	7	10-14	15	7	10-14	15
铲刀长度 X 弦高（ mm） Blade	3050x500	3300-3700x550-610	3965x610	3050x500	3300-3700x550-610	3965x610

叉车 (Fork Lifts) 适配参数表											
发动机型号 Engine type	498-T3	498Z-T3	BF4M2012-T3	BF4M1013-T3	BF6M2012-T3	BF6M1013-T3	BF8M-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
额定载重（ T ） Rated Load	2-3.8	4-5	6-8	6-10	8-18	15-30	18-35	6-8	6-10	8-18	15-30
额定功率 / 转速 Power(k/w)/speed(r/min)	36-45/2500	55-70/2300-2600	60-103/2000-2500	106-129/2000-2300	114-140/2000-2300	131-195/2000-2300	162-206/2000-2200	77-103/2000-2400	102-129/2000-2300	114-155/2100-2300	144-200/2000-2300
最大扭矩 (N.m) 转速（ r/min)Peak torque at engine speed	196/1800	245-300/1600	350-500/1500-1600	575-700/1500-1600	625-700/1600	650-1010/1600	900-1100/1500-1600	420-520/1500-1600	569-670/1500-1600	655-810/1500-1600	900-1050/1500

堆高机 (Staking Machine) 适配参数表				
发动机型号 Engine type	BF4M1013-T3	BF6M2012-T3	TCD2012L6-T3	TCD2013L6-T3
额定载重（ T ） Rated Load	6-8	16-180	16-180	20-24
额定功率 / 转速 Power(k/w)/speed(r/min)	60-103/2000-2500	114-155/2000-2500	114-155/2000-2500	160-206/2000-2300
最大扭矩 (N.m) 转速（ r/min)Peak torque at engine speed	350-500/1500-1600	633-743/1400-1500	633-743/1400-1500	762-1050/1400-1500

水稻收割机 (Rice Harvester) 适配参数表							
发动机型号 Engine type	498Z-T3	BF4M2012-T3	BF4M1013-T3	TCD2012L4-T3	TCD2013L4-T3	TCD2012L6-T3	TCD2013L6-T3
喂入量 (Kg)Feeding	4-5	6	≥7	6-8	6-10	8-18	15-30
额定功率 / 转速 Power(k/w)/speed(r/min	45- 73.5/240 0	60- 103/2200	103- 120/2300	77- 103/2000- 2400	102- 129/2000- 2300	114- 155/2100- 2300	144- 200/2000- 2300
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	245- 300/1600	325- 500/1600	540- 650/1600	420- 520/1500- 1600	569- 670/1500- 1600	655- 810/1500- 1600	900- 1050/1500

小麦收割机 (Wheat Harvester) 适配参数表			
发动机型号 Engine type	BF4M2012-T3	BF4M1013-T3	BF8M-T3
喂入量 (Kg)Feeding	4-6	7	10
额定功率 / 转速 Power(k/w)/speed(r/min	60-103/2200	106-126/2200	162/2200
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	325-475/1600	575-700/1600	1000/1600

玉米收割机 (Corn Harvester) 适配参数表		
发动机型号 Engine type	BF4M1013-T3	BF6M2012-T3
行数 Number of rows	4	5-6
额定功率 / 转速 Power(k/w)/speed(r/min	120/2300	128-136/2200
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	650/1600	625-700/1600

拖拉机 (Tractor) 适配参数表			
发动机型号 Engine type	BF4M2012-T3	BF6M2012-T3	BF6M1013-T3
马力 Power	70-125	130-180	210-265
额定功率 / 转速 Power(k/w)/speed(r/min	60-98/2200	95.6-132.4/2200	155-191.5/2200
最大扭矩 (N.m) 转速 (r/min)Peak torque at engine speed	325-500/1600	510-740/1600	850-1050/1600

A person in a dark suit and tie is shown from the chest down, holding a glowing, golden-yellow orb in their right hand. The orb is surrounded by a complex digital overlay consisting of a large, semi-transparent sphere with a grid of dots and lines. Inside this sphere, the words "CONTACT US" are written in large, bold, white capital letters. Various smaller numbers and hexagonal shapes are scattered around the text. Several bright green, wavy lines flow from the bottom left towards the right side of the image. The background is a dark, blurred gradient.

CONTACT
US

重庆丽星行贸易有限公司

Chongqing BLSH Trading Co., Ltd.

地址：中国·重庆·